





# Oceanis 38

---



Cruiser

---

# Provisional General Specifications

Caractéristiques Generales Provisoires | Caratteristiche Generali Provisorie | Características Generales Provisionales | Allgemeine Eigenschaften Vorläufig

NAVAL ARCHITECTS - ARCHITECTES NAVALS - ARCHITETTI NAVALI - ARQUITECTOS NAVALES - ARCHITEKT KONSTRUKTEUR	FINOT - CONQ
INTERIOR DESIGN - ARCHITECTURE INTÉRIEURE - DESIGN INTERNO - ARQUITECTURA INTERIOR - GESTALTUNG UND DESIGN INNEN	NAUTA DESIGN
LENGTH OVERALL (DAYSAILER) - LONGUEUR HORS-TOUT - LUNGHEZZA FUORI TUTTO - ESLORA TOTAL - LÄNGE ÜBER ALLES	11,15 m - 36'7"
LENGTH OVERALL (WEEKENDER & CRUISER) - LONGUEUR HORS-TOUT - LUNGHEZZA FUORI TUTTO - ESLORA TOTAL - LÄNGE ÜBER ALLES	11,50 m - 37'9"
HULL LENGTH - LONGUEUR DE COQUE - LUNGHEZZA SCAFO - ESLORA CASCO - LÄNGE RUMPF	11,13 m - 36'6"
LWL - LONGEUR FLOTTAISON - LUNGHEZZA AL GALLEGGIAMENTO - ESLORA FLOTACIÓN - LÄNGE WASSERLINIE	10,72 m - 35'2"
HULL BEAM - LARGEUR DE COQUE - LARGHEZZA SCAFO - MANGA CASCO - BREITE RUMPF	3,99 m - 13'1"
LIGHTWEIGHT (DAYSAILER - GTE) - POIDS LÈGE - DISLOCAMENTO A VUOTO - PESO EN ROSCA - NETTOVERDRÄNGUNG	6 095 kg - 13,437 lbs
LIGHTWEIGHT (CRUISER - GTE) - POIDS LÈGE - DISLOCAMENTO A VUOTO - PESO EN ROSCA - NETTOVERDRÄNGUNG	6 850 kg - 15,102 lbs
DEEP DRAUGHT (MIN) - TIRANT D'EAU LONG (MINI) - PESCAGGIO LUNGO (MIN.) - CALADO LARGO (MÍNIMO) - TIEFGANG LANGKIEL (MIN.)	2,05 m - 6'9"
DEEP BALLAST WEIGHT - POIDS DU LEST LONG - PESO CHIGLIA LUNGA - PESO QUILLA LARGA - BALLASTGEWICHT LANGKIEL	1 790 kg - 3 945 lbs
SHALLOW DRAUGHT (MIN) - TIRANT D'EAU COURT (MINI) - PESCAGGIO CORTO (MIN.) - CALADO CORTO (MÍNIMO) - TIEFGANG KURZKIEL (MIN.)	1,60 m - 5'3"
SHALLOW BALLAST WEIGHT - POIDS DU LEST COURT - PESO CHIGLIA CORTA - PESO QUILLA CORTA - BALLASTGEWICHT KURZKIEL	2 060 kg - 4 540 lbs
DRIFTER DRAUGHT - TIRANT D'EAU DÉRIVEUR - PESCAGGIO IN ZAVORRA DERIVA - CALADO QUILLA ELEVABLE - TIEFGANG KURZKIEL	1,26 m / 2,40 m - 4'2" / 7'10"
DRIFTER BALLAST - POIDS LEST DÉRIVEUR - PESO DELLA ZAVORRA DERIVA - PESO QUILLA ELEVABLE - BALLASTGEWICHT KURZKIEL	2 230 kg - 4,915 lbs
AIR DRAUGHT - TIRANT D'AIR - ALTEZZA MASSIMA - ALTURA SOBRE FLOTACIÓN - AUSTAUCHUNG	16,55 m - 54'4"
FUEL CAPACITY - CAPACITÉ CARBURANT - CAPACITÀ SERBATOIO CARBURANTE - CAPACIDAD CARBURANTE - KRAFTSTOFFFASSUNGSVERMÖGEN	130 l - 34 US gal
FRESHWATER CAPACITY (STANDARD) - CAPACITÉ EAU DOUCE (STANDARD) - CAPACITÀ ACQUA DOLCE (DI SERIE) CAPACIDAD AGUA DULCE (ESTÁNDAR) - FRISCHWASSERBEHÄLTER (STANDARD)	130 l - 34 US gal
FRESHWATER CAPACITY (OPTIONAL) - CAPACITÉ EAU DOUCE (OPTION) - CAPACITÀ ACQUA DOLCE (OPZIONE) CAPACIDAD AGUA DULCE (OPCIONAL) - FRISCHWASSERBEHÄLTER (OPTION)	200 l - 53 US gal
ENGINE POWER - PUISSANCE MOTEUR - POTENZA MOTORE - POTENCIA MOTOR - MOTORLEISTUNG	20 HP/CV - 30 HP/CV
EC CERTIFICATE - ATTESTATION CE - ATTESTATO CERTIFICAZIONE CE - CERTIFICADO CE - CE FAHRTGEBIETZERTIFIKAT	A8/B9/C10
MAINSAIL (CLASSIC) - GRAND-VOILE - RANDA - VELA MAYOR - GROSSEGEL	32,70 m <sup>2</sup> - 393 sq ft
GENOA (103%) - GÉNOIS (103%) - GENOA (103%) - GÉNOVA (103%) - GENUA-KLÜVER (103%)	33 m <sup>2</sup> - 355 sq ft
ASYMMETRIC SPINNAKER - SPI ASYMÉTRIQUE - SPI ASIMMETRICO - SPI ASIMÉTRICO - ASYMMETRISCHER SPINNAKER	114 m <sup>2</sup> - 1 227 sq ft
CODE 0 - CÓDIGO 0	65 m <sup>2</sup> - 700 sq ft
TACKING JIB - FOC AUTOVIREUR - FIOCCO AUTOVIRANTE - FOQUE AUTOVIRANTE - SELBSTWENDENDENES FOCKSEGEL	25 m <sup>2</sup> - 269 sq ft